




DIMENSIONS (IN.)					
	9	15	25	37	50
A	0.754	1.089	1.599	2.288	2.170
B *	0.167	0.181	0.181	0.176	0.157
C	0.626	0.954	1.481	2.138	2.033
D	0.285	0.274	0.279	0.278	0.289
E	0.555	0.884	1.434	2.104	2.003
F	0.308	0.329	0.442	0.444	0.446
PCB	X	0.416	0.411	0.396	0.488

- NOTE:
- 1. "B" DIMENSION MEASURED FROM BACK SIDE OF CONNECTOR FLANGE
 - 2. MIN. SAFE SPACING BETWEEN BACK SHELLS FOR PCB AND MOUNTED COMPONENTS
 - 3. THESE DIMENSIONS ARE GOOD FOR THE PLASTIC AND METALIZED PLASTIC BACK SHELLS

PLASTIC & METALIZED PLASTIC



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

NorComp

DRAWN:
C. SMITH

DATE:
07-11-06

CHECKED:
X

DATE:
X



SCALE:
N.T.S.

SHEET 1 OF 2

REV 1

DWG NO. ID - 979 SERIES

RoHS COMPLIANT






SEE NOTE 1. →

SEE NOTE 2. →

	DIMENSIONS (IN.)				
	9	15	25	37	50
A	0.750	1.072	1.599	2.248	2.161
B *	0.130	0.140	0.159	0.137	0.131
C	0.617	0.927	1.464	2.113	2.003
D	0.658	0.668	0.647	0.637	0.656
E		0.479	0.886	1.573	1.337
F		0.420	0.484	0.427	0.387
PCB	0.440	0.416	0.450	0.452	0.452

- NOTE:
1. "B" DIMENSION MEASURED FROM BACK SIDE OF CONNECTOR FLANGE
 2. MIN. SAFE SPACING BETWEEN BACK SHELLS FOR PCB AND MOUNTED COMPONENTS
 3. THESE DIMENSIONS ARE GOOD FOR THE BLACK CHROMATE AND NICKEL PLATED DIE CAST BACK SHELLS

DIE CAST



RoHS COMPLIANT



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

NorComp

DRAWN:
C. SMITH

CHECKED:
X

SCALE:
N.T.S.

DWG NO.

DATE:
07-21-06

DATE:
X

SHEET OF
2 2

REV
1

ID - 979 SERIES